

RESIDENTIAL RE-ROOF PERMIT REQUIREMENTS

Building Department

390 Towne Centre Dr, Lathrop, CA 95330 Phone: (209) 941-7270

PERMITTING REQUIREMENTS FOR RESIDENTIAL RE-ROOFS

A Permit is required for all re-roof projects including complete tear-off and roof replacements, partial tear-off and roof replacements, and adding additional layer(s) of roof covering to existing roofs.

Submittal Requirements:

- A Completed Permit Application
 - Including the following information in the Description of Work:
 Original roofing material, number of layers, tear-off or overlay, if re-sheet is being done, number of squares of material, slope of the roof, and Cool Roof compliance information
- Owner/Builder Form (if applicable)
- A Certificate of Compliance Title24 Form "CF1R" completed and signed by Owner / Contractor must be submitted with application
- At Final Inspection, an Installation Certificate Form "CF6R" must be completed by the installer and submitted to the property owner and Building Department

Energy Code Requirements:

- When more than 50% of the exterior surface of a residential roof is being replaced and the roof slope is greater or equal to 2:12 pitch:
 - Roofing product must meet the requirements for a Cool Roof
 - Roofing products with a density of less than 5lbs/sqft (i.e. asphalt shingles) shall have a minimum 3year aged solar reflectance of 0.20 and a minimum thermal emittance of 0.75. or a Solar Reflectance Index (SRI) of 16
 - Roofing products with a density of 5lbs/sqft or more (i.e. concrete, clay tiles or slate) shall have a minimum 3-year aged solar reflectance of 0.15 and a minimum thermal emittance of 0.75, or a SRI of 10

Roofing products that are used for compliance with the energy standards must be tested and labeled by the Cool Roof Rating Council (CRRC). The roofing products manufacturer must have its roofing product tested for solar reflectance and thermal emittance, and be listed in the CRRC's Rated Product Directory (<u>www.coolroofs.org</u>) and be labeled according to CRRC procedures.

	<u>h</u>	<u>nitial</u>	<u>Weathered</u>
	Solar Reflectance	0.00	Pending
	Thermal Emittance	0.00	Pending
CRRC	Rated Product ID Number	Pr	
COOL ROOF	Licensed Seller ID Number		
RATING COUNCIL	Classification		oduction Line
Cool Roof Rating Council ratings are determined for a fixed set of conditions, and may not be appropriate for determining seasonal energy performance. The actual effect of solar reflectance and thermal emittance on building performance may vary. Manufacturer of product stipulates that these ratings were determined in accordance with the applicable Cool Roof Rating Council procedures.			

Sample CRRC Label:

See Back Page for Alternative Requirements



Alternatives to Cool Roof Requirements:

- The following are acceptable alternatives to providing a Cool Roof rated product:
 - Insulation with a thermal resistance of at least 0.85hr.ft².°F/BTU or at least ¾ inch airspace is added to the roof deck over an attic
 - Existing ducts in the attic are insulated and sealed according to CEC Regulations Section 150.1(c) 9
 - 1ft² of free ventilation area of attic ventilation for every 150ft² of attic floor area, and where at least 30% of the free ventilation area is within 2ft vertical distance of the roof ridge
 - Building has at least R-38 roof/ceiling insulation
 - o Roof or attic space has a radiant barrier meeting the requirements of CEC Section 150.1(c)2
 - $\circ \quad \text{Building has no ducts in attic} \\$
 - R-2 or greater insulation above the roof deck